

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6061725".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 15:58
L2	41	database adj migration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:07
L3	7	707/204.ccls. and I2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:07
L4	2	707/200.ccls. and I2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:07
S1	1346	cycl\$4 same (incr\$7 or decr\$7) same transactions	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 13:56
S2	35	cycl\$4 same (incr\$7 or decr\$7) same transactions same (duration or (time adj span))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 18:06
S3	25	cycl\$4 same (incr\$7 or decr\$7) same transactions same (duration or (time adj span)) and @ad < "20011010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:29
S4	0	((repeating adj step) with shorter) same transactions	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:31
S5	0	((repeating with step) with shorter) same transactions	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:30
S6	1	((repeating with step) same shorter) same transactions	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:30

S7	2	((repeating adj step) with decre\$7) same transactions	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:37
S8	35	(decre\$7 with duration) same transactions	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:40
S9	25	(decre\$7 with duration) same transactions and @ad < "20011010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:41
S10	5	(decre\$7 with duration) same transactions same (cycles or repeat\$4) and @ad < "20011010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 09:42
S11	1141	((frequency or duration or cycl\$4) with (incre\$7 or decr\$7)) same transactions	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 13:58
S12	1217	((frequency or duration or cycl\$4) with (incre\$7 or decr\$7 or length\$6)) same transactions and @ad < "20011010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:00
S13	0	((frequency or duration or cycl\$4) with (incre\$7 or decr\$7 or length\$6)) same transactions and @ad < "20011010" same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:00
S14	309	((frequency or duration or cycl\$4) with (incre\$7 or decr\$7 or length\$6)) same transactions and @ad < "20011010" and database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:01
S15	232	((frequency or duration or cycl\$4) with (incre\$7 or decr\$7 or length\$6)) same transactions and @ad < "20011010" and database and (replica\$5 or archiv\$4 or copy\$4 or back\$up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:01
S16	169	((frequency or duration or cycl\$4) with (incre\$7 or decr\$7 or length\$6)) same transactions and @ad < "20011010" and database and (replica\$5 or archiv\$4 or back\$up)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:02

S17	102	((frequency or duration or cycl\$4) with (incr\$7 or decr\$7 or length\$6)) same transactions and @ad< "20011010" and database and (replica\$5 or archiv\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:09
S18	60	((frequency or duration or cycl\$4) with (incr\$7 or decr\$7 or length\$6)) same transactions and @ad< "20011010" and (database with (replica\$5 or archiv\$4 or back\$up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:05
S19	7	((frequency or duration or cycl\$4) with decr\$7) same transactions and @ad< "20011010" and (database with (replica\$5 or archiv\$4 or back\$up))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:05
S20	96	((frequency or duration or cycl\$4) with (incr\$7 or decr\$7)) same transactions and @ad< "20011010" and database and (replica\$5 or archiv\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:09
S21	60	((frequency or duration or cycl\$4) with (decr\$7)) same transactions and @ad< "20011010" and database and (replica\$5 or archiv\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:10
S22	3	((frequency or duration or cycl\$4) with (decr\$7)) same transactions and @ad< "20011010" and (database with (replica\$5 or archiv\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:11
S23	0	(decre\$6 with (frequency or duration or cycl\$4)) same transactions and @ad< "20011010" and (database with (replica\$5 or archiv\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:12
S24	230	(decre\$6 with (frequency or duration or cycl\$4)) same transactions and @ad< "20011010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:13
S25	230	((decre\$6 with (frequency or duration or cycl\$4)) same transactions) and @ad< "20011010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:13
S26	53	((decre\$6 with (frequency or duration or cycl\$4)) same transactions) and database and @ad< "20011010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:43

S27	0	((decre\$6 with (frequency or duration or cycl\$4)) same transactions) and (database with (replicat\$5 or archiv\$5)) and @ad< "20011010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:14
S28	0	((decre\$6 with (frequency or duration or cycl\$4)) same transactions) and (database with (replicat\$5 or archiv\$5 or copy\$4)) and @ad< "20011010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:14
S29	8	((decre\$6 with (duration)) same transactions) and database and @ad< "20011010"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 14:43
S30	2	"20030069903"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 15:21